## SOT CO check list (ver. 2019.12.16)

CC	Names / Date :							
1.	Before Hinode daily meeting (from 10:30 am)	Thu	Fri	Sat	Mon	Tue	Wed	Thu
	. Check emails sent to sot_co							
1.2	. Latest data check							
1.3	Status check http://darts.isas.jaxa.jp/pub/solarb/sot/health_chk/							
	Today's event check on the HINODE daily event page							
	b. Discuss today & tomorrow's SOT observations among SOT_COs							
1.0	. Discuss today & tomorrow's 501 observations among 501_COs							
2.	During the daily meeting	Thu	Fri	Sat	Mon	Tue	Wed	Thu
2.1	. Today's plan (Pointing adjustment, SOT table upload)							
2.2	. Tomorrow's plan (Observing targets, SOT table upload)							
3.	After the daily meeting	Thu	Fri	Sat	Mon	Tue	Wed	Thu
	Check the data volume and the wedge selection for the CT if pointing	<i>VIII.</i>						
	ordinates are changed, in particular for off-limb observations.							
	Restart the timeline tool, save planning files, and resubmit them with an_submit_pdl.sh if the observation plan (timeline, SP tables, or pointings, etc.) is							
	dified.							
3.3	c. Check OP/OG sheet issued by CP							
	p://www.isas.jaxa.jp/home/solar/hinode_op/hinode_planning_status_login.php							
4. Daily planning work		Thu	Fri	Sat	Mon	Tue	Wed	Thu
4.1. Change the default focus, alignment, or margin factor set by the environmental variables in ~/.cshrc upon request.								
	. <b>Restart terminal</b> , and then make a timeline and observation tables. Check the lowing items carefully beforehand to keep the dead line (10AM).							
	Check and avoid two commands at the same time. Generally a time interval of <b>30 sec</b> or more is required between two commands.							
	If pointing is changed after the timeline generation is started, you must import							
	the pointing file again by restarting the timeline tool.							
	Set "STOP ALL" at the end of the timeline, 2 min before OPERATION							
	PROHIBTED at the latest.							
General	Set "STOP ALL" at least 25 sec before pointing change.							
Gen	Confirm that ROI number (region table) is correctly selected in all programs.							
	Check FOV (Frame ID and ROI shift) in all programs (see .use file and FOV							
	inspector to check field-of-view).							
	Set appropriate margin factors for data rate prediction. Follow original values in most cases but you should take care of appropriate data transfer rate.							
	Use up the telemetry allocation as much as possible.							
	Add comments on observing targets (except for synoptic observations).							
ho	SAA-free period is preferable for SP observations.							
	To stop infinite loop SP program, use the sequence of commands: "SP Table							
	Pause", "SP Stop", and "SP Stop". Or you can simply use "STOP ALL".							
S.	Be careful about signs and units of a region table (East $\rightarrow$ minus, West $\rightarrow$ plus. Unit: step, 1 step = 0.16 arcsec).							
	Use CCD 1-side for data-saving except for a special occasion.							
Щ_		<u> </u>	L			L		<del></del>

	I	1333333						
	Confirm the table content whenever you update any Program, Sequence, and Macro-command.							
Table upload	If you modify an observation table (any PRG, SEQ, or PAR), be sure that you check the appropriate SP table upload button in the real time load widget. Set SP							
	RAM IDs by referring to the RAM ID of the last load (found in .tim or .orl files on the SOT web).							
	No command is allowed during a station pass in which SOT table upload is scheduled.							
	Include the TI commands in the real-time loads when SP tables are to be uploaded.							
Focus	Check and set "Focus position" appropriate for disk or limb. Do not make a focus move of only 1 or 2 steps.							
	Stop observation at least <i>1 min</i> before issuing Focus command (or the focus move will fail) and resume observation after that.							
	Make sure that there is at least <i>1 min</i> interval between CT Serve On and the start of observation.							
	Set "CT wedge" position appropriate for limb and AR observations. Be careful not to include a sunspot in the CT FOV.							
CT	Set "CT Servo On" or "CT wedge" with a margin of <i>3 min</i> after pointing change.							
	Use "Hysteresis Removal" not "CT On" before an alignment calibration.							
	Insert a "CT Servo Cycle OFF/ON" command <i>1 min</i> before an SP scan, if the SP scan starts more than 2 hour after a "CT ON" command.							
4.3. Submit timeline with <i>plan_submit.sh</i> . Deadline is 10AM.								
4.4	. Enter today's planned information into SOTGUI database.							
4.5. Circulate plan to sot_co (email) (by using tim2mail script including SOT data allocation).								
5.	SOT weekly meeting (Thursday from 9:30 am)	Thu	Fri	Sat	Mon	Tue	Wed	Thu
5.0	Circulate a weekly summary report to sot_co (email).							
-	. Report the summary of the last observations and problems if there are.							
-	2. Discuss new campaign observations or proposed observations.							
5.3. Hand over knowledge about campaign observations, programs used in the campaigns, and the check list to new COs.								
5.4	. Write the following items at the web of daily event for the weekly meeting:						M	0000)
Names of COs, HOP and campaign observations, table upload, and TI command.							VIII	
http://www.isas.jaxa.jp/home/solar/hinode_op/hinode_daily_events_login.php								
6	Hinode weekly meeting (Friday, after daily meeting)	Thu	Fri	Sat	Mon	Tue	Wed	Thu
	. Report the next observations of SOT and decide the next-week plan	1111		<i>III</i>				
6.2	2. Discuss DR allocation (default, SOT: 54%, XRT: 23%, EIS: 23%)							
				1				
	Focused Mode	Thu	Fri	Sat	Mon	Tue	Wed	Thu
-	. SOT weekly meeting (Thursday)	1		<i>\////</i>	V////	V////	<i>KIII</i>	
		1777	1777		1	7777	VIII	1,7,7,7,7
-	2. Hinode daily/weekly meeting (Monday)  8. Hinode daily meeting (Tuesday)							
7.3	2. Hinode daily/weekly meeting (Monday) 3. Hinode daily meeting (Tuesday) 4. Request CP to upload a tracking curve if necessary to adjust pointings.							

If you have any comments to the check list, please contact Joten Okamoto (okamoto@solar.isas.jaxa.jp). Latest version:  $http://hinode.nao.ac.jp/NoChgAdd/SOT_CO\_check_list.pdf$